IATTC

Review of the IATTC Regional Observer Programme

Covering the period November 26, 2011 to January 31, 2012



March 29, 2013

MRAG Americas Inc. 10051 5th St. N, Suite 105 St. Petersburg FL 33702 727-563-9070 Phone 727-563-0207 Fax www.mragamericas.com

Table of Contents

1.	Introduction	3
2.	Deployments	3
2	2.1 Summary of deployments	3
2	2.2 Procedures and logistics	8
3		8
3.1	. Species Identification	8
3.2	2. Weight Estimation	10
	Option #1 – Weights from CV Hook Scale Readouts:	10
	Option #2 – Weights from Declared Average Weights:	10
	Option #3 - Hanging Scale to Determine Average Weight	10
	Option #4 - Weights from Length-Sampling:	11
	Option #5 – Weights from Declared Weights:	11
4.	Reporting Protocols	11
F	Form T1 - Observer/Vessel Details:	11
F	Form T2 - Deployment Form:	11
F	Form T3 – Pre-Sea Inspection Checklist:	11
F	Report R1 – Observer Deployment Report:	12
Mic	d-Deployment Forms and Reports	12
F	Form T4 – Transshipment Details Form:	12
F	Report R2 – Observer 5-Day Report:	12
F	Photo and Video Log and Files:	13
F	Report R3 – Supplier 15-Day Report	13
5.	Observer Duties	13
6.	Observer Training	14

REVIEW OF THE IATTC REGIONAL OBSERVER PROGRAM COVERING IATTC DEPLOYMENTS IATTC101 to IATTC132 (November 26, 2011 to January 31, 2013)

SUBMITTED BY MRAG AMERICAS

1. Introduction

In 2008 IATTC adopted Recommendation [06-11] to establish a Programme for Transhipment in response to concerns that at-sea transhipment operations constituted a gap in the enforcement scheme of the Commission. MRAG Americas (MRAG) has been implementing the Regional Observer Program (ROP) since its inception in January 2009.

The ROP aims to address Member State concerns regarding laundering of Illegal, Unregulated and Unreported (IUU) tuna catches by monitoring transhipments at sea from Large Scale Longline Tuna Vessels (LSLTVs) operating in the Convention Area. Recommendation [06-11] states that all tuna and tuna like species transhipped in the Convention area must be done so in port. However, at sea transhipments can be authorised by Contracting Parties provided the Carrier Vessel (CV) has VMS capabilities and a trained IATTC observer is on board to monitor the process.

This report provides a summary of the ROP's forth year covering IATTC deployments IATTC101 to IATTC132 completed between November 2011 and January 2013.

2. Deployments

2.1 Summary of deployments

A total of 392 IATTC transhipments have been monitored during 29 trips consisting of 1726 sea days, with an average deployment length of 59.5 days. The total weight of fish observed being transhipped over the period was 30,908 metric tonnes (Table 1) with an average transhipment weight of 78.85MT. There has been a 25.4% percent decrease in sea days compared to the IATTC deployments from December 22, 2010 to January 10, 2011. Of the 392 transhipments 87 were from China flagged vessels (22.2%), 84 were from Chinese Taipei flagged vessels (21.4%) and 149 from Japanese flagged vessels (38.0%). The remaining 18.4% where from Korea (14) and Vanuatu (58) (Figure 1). The locations of all the transhipments are shown in Figure 4 green.




Figure 1. Percentage contribution by flag state to the total number of IATTC transhipments for IATTC deployments 101 & 103 to 132 (November 2011 to January 2013)

In addition to the IATTC transhipments, MRAG observers were also onboard for 118 WCPFC transhipments of which 27 were fully observed. The total weight of fish observed being transhipped over the period was 7,843 metric tonnes (Table 1), however, this weight does not include 34 transhipments for which the declarations were not provided. The average transhipment weight of 3.94MT for the 84 transhipments the observer was provided a declaration. Of the 118 transhipments 20 were from China flagged vessels (16.9%), 44 were from Chinese Taipei flagged vessels (37.3%) and 33 were from Korea flagged vessels (28%). The remaining 17.8% where from Belize (1), Indonesia (2), Japan (1), Phillipines (5) and Vanuatu (12). The locations of all the transhipments are shown in Figure 4 in red.




Figure 2. Percentage contribution by flag state to the total number of WCPFC transhipments for IATTC deployments 101 & 103 to 132 (November 2011 to January 2013)

MRAG observers were also onboard for 39 port transhipments of which one transhipment of product to another carrier vessel was observed. The other 38 port transhipments were loading of product from LSTLVs in port and were not observed. The total weight of fish observed being transhipped over the period was 3,828.60 metric tonnes (Table 1), however, this weight does not include 8 transhipments form Chinese flagged vessel which the declarations were not provided. The average transhipment weight of 123.50MT for the 31 transhipments the observer was provided a declaration . Of the 39 transhipments 8 were from China flagged vessels (20%), 9 were from Japan flagged vessels (23%) and 9 were from Korea flagged vessels (23%). The remaining 34% where from Fiji (5), Kiribati (3), Tuvalu (4) and Vanuatu (1) . The locations of all the transhipments are shown in Figure 4 in yellow,




Figure 3. Percentage contribution by flag state to the total number of Port transhipments for IATTC deployments 101 & 103 to 132 (November 2011 to January 2013)

Table 1 Summary of transhipments 101, 103 to 132

TRIP	, i			01, 103 to 132	EMBARKATION			DISEMBARKATION			TRIP	TOTAL	TOTAL	TOTAL	TOTAL	TOTAL	TOTAL
ID	CARRIER VESSEL	FLAG	OBS ID	OBSERVER	DATE	CITY	COUNTRY	DATE	CITY	COUNTR Y	LENGTH (DAYS)	IATTC TSs	WCPFC TS	PORT TS	IATTC WEIGHT	WCPFC TS	PORT WEIGHT
101	Shin Izu	Vanuatu	002	Bennett, James	26-Nov-11	Kaohsiung	Taiwan	7-Mar-12	Busan	Korea	103	39	0	0	1,900.2	0.0	0.0
103	Tenho Maru	Vanuatu	041	Scheuerman, David	21-Jan-12	Papeete	Tahiti	17-Feb-12	Papeete	RMI	28	8	1	0	927.2	84.7	0.0
104	SL Bogo	Korea	040	Richardson, Louis	21-Dec-11	Xmas Island	Kiribati	13-Jan-12	Pohnpei	FM	24	2	3	0	272.4	37.2	0.0
105	Kaiho Maru	Vanuatu	039	McDonough, James	19-Dec-11	Papeete	Tahiti	2-Feb-12	Busan	Korea	46	7	3	0	591.6	258.2	0.0
106	New Satsuki	Panama	025	Zepplin, Tim	1-Jan-12	Kaohsiung	Taiwan	27-Mar-12	Busan	Korea	87	0	17	4	0.0	1,016.0	257.2
107	Taiho Maru	Japan	004	Dobbs, Eric	16-Feb-12	Papeete	Tahiti	8-Apr-12	Busan	Korea	53	19	5	0	1,241.7	340.9	0.0
108	Genta Maru	Vanuatu	027	Pudenz, Justin	31-Jan-12	Kaohsiung	Taiwan	21-Apr-12	Busan	Korea	82	24	5	0	1,829.4	232.5	0.0
109	Oceanus	Vanuatu	044	Wojtkun, Marcin	28-Jan-12	Busan	Korea	1-Apr-12	Busan	Korea	65	2	7	0	368.9	808.4	0.0
110	Seiwa	Kiribati	038	Luketic, Michael	9-Feb-12	Busan	Korea	19-Apr-12	Busan	Korea	71	6	4	5	657.0	413.4	683.1
111	Satsuma	Singapore	020	aab, Daniel	22-Feb-12	Kaohsiung	Taiwan	12-May-12	Papeete	Tahiti	81	36	1	0	1,977.7	48.1	0.0
112	Suruga 1	Vanuatu	Cancelled												0.0	0.0	0.0
113	Yu Hsiang Maru	Vanuatu	007	Davis, Keith	19-Mar-12	Papeete	Tahiti	4-May-12	Busan	Korea	47	13	0	0	853.4	0.0	0.0
114	Kaiho Maru	Vanuatu	008	Lobdell, James	26-Mar-12	Kaohsiung	Taiwan	18-May-12	Papeete	Tahiti	54	6	4	9	508.4	316.7	-
115	Lung Yuin	Vanuatu	029	Suarez, Lucas	26-Mar-12	Suva	Fiji	15-May-12	Kaohsiung	Taiwan	51	3	15	0	347.4	-	0.0
116	Tenho Maru	Vanuatu	040	Richardson, Louis	2-Jun-12	Papeete	Tahiti	14-Jul-12	Apia	Somoa	43	13	2	0	1,249.2	-	0.0
117	Shin Izu	Vanuatu	037	Randy Tsung	5-Jun-12	Kaohsiung	Taiwan	4-Oct-12	Yokosuka	Japan	122	18	2	3	1,267.5	286.0	223.5
118	Taiho Maru	Vanuatu	029	Suarez, Lucas	2-Jul-12	Papeete	Tahiti	25-Aug-12	Busan	Korea	55	18	1	0	1,504.5	-	0.0
119	SL Bogo	Korea	002	Bennett, James	10-Jun-12	Busan	Korea	23-Aug-12	Shimizu	Japan	75	10	8	0	1,018.1	1,056.6	0.0
120	Shin Ho Chun No.1	Kirbaiti	044	Wojtkun, Marcin	17-Jul-12	Papeete	Tahiti	20-Aug-12	Papeete	Tahiti	35	14	0	0	1,833.1	0.0	0.0
121	Shin Fiji	Panama	020	aab, Daniel	22-Jul-12	Kaohsiung	Taiwan	21-Sep-12	Apia	Somoa	62	6	1	11	378.2	88.1	1,459.5
122	Lung Yuin	Vanuatu	041	Scheuerman, David	3-Aug-12	Suva	Fiji	18-Sep-12	Kaohsiung	Taiwan	47	11	1	0	1,088.2	66.0	0.0
123	Yu Hsiang Maru	Vanuatu	026	Larner, Heath	6-Aug-12	Papeete	Tahiti	25-Sep-12	Busan	Korea	51	17	3	0	1,432.0	218.0	0.0
124	Shota Maru	Vanuatu	008	Lobdell, James	6-Aug-12	Kaohsiung	Taiwan	8-Nov-12	Majuro	RMI	95	21	4	3	1,664.9	241.6	488.8
125	Kaiho Maru	Vanuatu	039	McDonough, James	3-Sep-12	Papeete	Tahiti	22-Oct-12	Shimizu	Japan	50	4	1	0	415.3	177.6	0.0
126	Haru	Panama	040	Richardson, Louis	8-Sep-12	Kaohsiung	Taiwan	30-Nov-12	Papeete	Tahiti	84	43	6	0	2,516.4	-	0.0
127	SL Bogo	Korea	007	Davis, Keith	24-Sep-12	Busan	Korea	29-Nov-12	Pohnpei	FM	67	6	9	0	904.8	760.2	0.0
128	Meita Maru	Vanuatu	025	Cliffton, Samantha	20-Sep-12	Busan	Korea	24-Oct-12	Ensanda	Mexico	35	6	4	4	224.0	217.8	716.5
129	Tenho Maru	Vanuatu	031	Vasak, Nicole	29-Oct-12	Papeete	Tahiti	30-Nov-12	Papeete	Tahiti	33	8	3	0	1,030.2	358.6	0.0
130	Shin Ho Chun No.1	Kirbaiti	038	Luketic, Michael	25-Nov-12	Papeete	Tahiti	24-Dec-12	Papeete	Tahiti	30	21	0	0	1,811.8	0.0	0.0
131	Lung Yuin	Vanuatu	044	Wojtkun, Marcin	13-Dec-12	Papeete	Tahiti	31-Jan-13	Kaohsiung	Taiwan	50	11	8	0	1,094.4	864.5	0.0
132	Seiwa	Kiribati	Cancelled												0.0	0.0	0.0
TOTA	L											392	118	39	30,907.9	7,891.1	3,828.6




Figure 4 Locations of observed transhipments for IATTC observer deployments commencing in November 2011 to January 2013. Green = IATTC, Red = WCPFC, Yellow = Port

A summary of the ROP deployments from 101 to 132 completed between November 2011 and January 2013 is shown in Figure 5. It can be seen that March was the programme's most active month in terms of numbers of observers deployed, followed closely by August. However, August was the most active month in terms of total weight transhipped. 5 c) and d) show the total amount transferred during deployments completed since the last annual review.




Figure 5 Activity by month a) Number of observers deployed, b) Number of deployed days), c) Weight transhipped per month and d) Total amount by transhipment

2.2 Procedures and logistics

The deployment request procedure begins with the Carrier Company requesting and observer via their countries Fisheries Agency. The Observer request is sent to the IATTC program who forwards to Bryan Belay, MRAG's IATTC coordinator. Mr. Belay coordinates the travel and deployent of the IATTC observer and coordinates with the Carrier Company in cases of changes to the CVs schedule. MRAG also communicates with Carrier Companies to established estimated deployments to allow for long term planning and to ensure MRAG has enough observers to meet needs. Of the 29 IATTC deployments during the reported period, MRAG observers deployed on 17 different CVs, all previously had an IATTC observer on board, except for the Genta Maru, which has carried ICCAT and IOTC observer. All vessels are therefore aware of the necessary requirements and procedures.

There have also been a number of occasions where a vessel has moved between WCPFC and IATTC areas and the observer has remained on board saving on deployment costs.

The main observer tasks as specified by IATTC Recommendation [06-11] remain:

- 1. Record and report upon the transhipment activities carried out;
- 2. Verify the position of the vessel when engaged in transhipping;
- 3. Observe and estimate products transhipped;
- 4. Verify and record the name of the LSTLV concerned and its IATTC number;
- 5. Verify the data contained in the transhipment declaration;
- 6. Certify the data contained in the transhipment declaration;
- 7. Countersign the transhipment declaration;
- 8. Issue a report every 5th day deployed of the carrier vessel's transhipping activities; and
- 9. Establish general reports compiling the information collected in accordance with IATTC Program requirements and provide the captain the opportunity to include therein any relevant information.

Tasks 1 and 3 remain the prioritised tasks carried out by the observers and take up the majority of the observers' time through the counting, identifying and recording the weights of the species transferred and the movements of the carrier vessel. In agreement with the IATTC Secretariat the MRAG continues to submit reports every 15 days summarising daily transhipment activity rather than issuing daily reports.

On days prior to transshipment operations standby times and tonnage of products for transshipment are written on a dry erase board in the officer's mess and crew mess and the IATTC Observers are provided a pre-transshipment declaration copy. Onboard procedures for transshipment are initiated punctually at posted standby times. An announcement on the ship's public address initiates operations. Afterwards fenders were deployed. Transshipments typically, though not always, began during daylight hours, most often morning, and can last into late afternoon or as late as early evening. Most CVs conduct one to two transshipments daily from one to two LSTLVs. CVs transship frozen fish products into one of three decks (A B or C) of available cargo holds. Typical at sea transfer type are transshipment from LSTLV hold or LSTLV deck to CV hold using line segments or in some instances cargo nets. Line segments or cargo nets (unit of transshipment) are loaded with one to seventy eight frozen fish products depending upon such factors as product species, product mass, partially processed product type, pace of LSTLV crew, location of product within LSTLV hold, availability of LSTLV hydraulic winches and total transshipment time. Products are manually sorted and stowed in the CV hold according to LSTLV and discharge location for record keeping. Crew rotations in the cargo holds last for one hour and transfer speed of frozen fish product varied between 10mt and 30mt per hour.

LSTLV reports including product counts and weights are obtained by the CV's 2nd Officer from the LSTLV Captains then made available to the IATTC Observer within the first two hours of transshipment. The IATTC Observers are provided a copy of the LSTLV numbers and weights report within the first two hours of transshipment. Transshipment Declarations are prepared by the CVs 2nd Officer within the first two hours of transshipment and provided to the IATTC Observer for countersignature, certification and verification. A copy of the Transshipment Declaration is provided directly to the IATTC Observer during transshipment.

3.1. Species Identification

The three most abundant species observed transshipped are: *Thunnus obesus* (bigeye tuna; species code BET); this species are uniformly transshipped gilled and gutted (GG). Second: *Thunnus albacares* (yellowfin tuna; species code YFT). This species are also transshipped uniformly gilled and gutted (GG). And third: *Xiphias gladius* (broadbill swordfish; species code SWO); this species was transshipped both dressed (DR) and filleted (FL).

The other main species transshipped were: *Tetrapturus audax* (striped marlin; species code MLS); were transshipped predominantly gilled and gutted (GG), with an occasional dressed specimen observed; *Makaira nigricans* (blue marlin; species code BUM) were predominantly transshipped dressed (DR) but occasionally gilled and gutted; and *Thunnus alalunga* (albacore tuna; species code ALB); this species was consistently transshipped whole, (round or RD).

Distinguishing between shark species is not always possible due to the variety of processing techniques used. Where it was possible to discern between shark species blue shark (*Prionace glauca*) and make sharks (*Isurus spp.*) were found to be the main shark species transhipped. Aside from sharks (SKH) and opah, *Lampris guttatus* (LAG), the remainder of what is transshipped, the observer classifies as other fish (OTF). This classification includes, but is not limited to: *Acanthocybium solandri* (wahoo; species code WAH), *Lepidocybium flavobrunneum* (escolar; species code LEC), *Tetrapturus angustirostris* (shortbill spearfish; species code SSP), *Ruvettus pretiosus* (oilfish; species code OIL) and *Coryphaena hippurus* (dolphinfish; species code DOL). In addition smaller amounts of *K. pelamis, Bramidae* species, *Selachimorpha/Pleurotremata* species. These various species are transshipped either dressed (DR) or whole (RD), depending upon the LSTLV. The observer attempts to keep a distinction between OTF species and provide each species with independent overall estimated weights. While some of the OTF species are identifiable to a degree, identifying every single species in the conglomerate that composes each string every transshipment can prove daunting. When identifying OTF species becomes an issue, observers lump together these species into a singular product code of OTF to obtain an accurate estimate of numbers to compare to the numbers claimed by the LSTLV; so as to estimate an overall weight.

Observed weight estimates were obtained by multiplying the observer tally for each species to the average weight derived from the transhipment declaration. See section: (Weight Estimation) for more detail on weight. Tuna are recorded by species where they can be positively identified or as mixed tuna species where they can only be counted. Distinguishing between the different tuna species can be difficult in their processed condition; the accuracy of identification is dependent on how easily the observer can discern certain diagnostic features on and in the tuna trunks. To aid identification laminated identification guides have been produced depicting the major species transhipped, their diagnostic features and the different processing states that they may be transhipped in. The method of transfer can have an influence on species identification; experienced observers have reported that they can identify the species of tuna trunks that are lying on the deck of the LSTLV before being transhipped.

Product numbers are estimated by visual means. As each string was extracted from the LSTLV hold, the observer first determines the most abundant species that compose the string. That species is given the benefit to be tallied with the hand counter. Other species that were identified with certainty are either counted on the observer's hand, tallied on paper, or their counts are repeated into a voice recorder.

Thunnus obesus (bigeye tuna; species code BET) are identified primarily by their large eye, stout body, and black edged finlets. These fish were transshipped gilled and gutted (GG)

Thunnus albacares (yellowfin tuna; species code YFT) are identified by the shape of the head, the tapering of the caudal peduncle, overall body shape, finlet color, and relatively small eye when compared to *T. obesus*. This species was also transshipped gilled and gutted.

Xiphias gladius (broadbill swordfish; species code SWO) are difficult to miss. This species was identified by body shape, coloration, and the single keel present on the caudal peduncle. *X. gladius* were transshipped dressed (DR) and on occasion filleted (FL).

Thunnus alalunga (albacore tuna; species code ALB) are transshipped whole, (round, or RD). *T.alaunga* are identified by the overall body shape, the narrowing of the head in the maxillary region and the condition of transhipment (RD). The observer relies upon the rounded hump of the body abruptly ending and becoming the narrow caudal peduncle to identify damaged specimens.

Makaira nigricans (blue marlin; species code BUM) are identified by elongated scales, body shape, size, and coloration.

Tetrapturus audax (striped marlin; species code MLS) are identified by scale shape, body shape, and coloration. *T. audax* tended to be more slender and lighter in color than *M.nigricans*.

Lampris guttatus (opah; species code LAG). This species is identified by its distinct body shape, color and markings. *L.guttatus* were transshipped either dressed (DR) or whole (RD).

Acanthocybium solandri (wahoo; species code WAH) are identified by body shape, size, and distinct body markings. This species was transshipped dressed (DR).

Lepidocybium flavobrunneum (escolar; species code LEC) are identified by body shape, fins, lateral line, and the distinct demarcation on both sides of the head. This species was transshipped both whole(RD), and dressed(DR).

Tetrapturus angustirostris (shortbill spearfish; species code SSP) are identified by their very slender body shape, fins, and manner in which they were dressed by the LSTLV.

Ruvettus pretiosus (oilfish; species code OIL) are identified by their rough scales and body shape. This species was transshipped both dressed(DR) and whole (RD).

Coryphaena hippurus (dolphinfish; species code DOL) are an unmistakable species identified by body shape, coloration, and head shape when available. This species was transshipped both dressed(DR) and whole(RD).

Several different species of shark are also transhipped. Because of the dressed (DR) condition (lacking heads and fins), and the amount of time they are visible to the observer; these species are often lumped into the single category of (SKH).

Shark fins (SF) are observed transshipped in large bundles, and occasionally wrapped in plastic sacks.

The LSTLVs tranship frozen bags of mixed fish parts. These bags consisted of gonads, intestines, stomachs, and sometimes chunks of unidentifiable flesh. Observers are able to identify some of these bundles when they constitute a single type of product; but for the most parts the observer are unable to discern if they were product of a similar species or many different genera.

3.2. Weight Estimation

The methodology used by observers for estimating transhipment weights remains the same as those previously described by the MRAG. Deployment observations still show that very few carrier vessels use electronic hook-scales. Observers are tasked with estimating the weight of transshipped product by the species and species group that they tally during their observation period(s). The main purpose is to verify the weights recorded by the carrier and LSTLVs on the Transshipment Declaration. The observer records the weight estimates on the Observer portion of the Form T4 (iii). There are five (5) preferred options for accomplishing this task. These options are ordered by preference of implementation - Option #1 being first and Option #5 being last. Observers will avoid estimating the weight of strings by solely visual means. If visual estimations are used, the observer must document the rational and means of the visual estimation thoroughly.

- The most accurate and independent weight estimations observers can make will come as a derivative of their tally estimations (assuming that these tallies are complete for the observation period(s) recorded).
- ➤ Observers will only complete the String Weight field on the T4 (ii) when a hook scale is available (Option #1).
- The Observer Fraction of estimated weight of transshipped product (by species, species groups is the summation of each species'/species groups' tallied in the observation period(s), multiplied by average weights (independently estimated or derived from Declaration numbers).

Option #1 – Weights from CV Hook Scale Readouts: If the carrier vessel employs an operational in-line scale, observers can make an estimation of the total weight of the product transshipped by:

- o Total Weight sum the recorded CV scale readouts for all strings in a transshipment.
- o Total Product Count Sum of species tally estimations (by species/species groups),
- o Proportional Weight of Product Use number of fish and weight from Transshipment Declaration to proportion the Total Weight into a weight for each product code declared.

Total Product Weight = <u>Declared Poduct count x Total Weight</u> <u>Declared Product Weight</u>

o If the Declared weight or total count of products is not available from the vessel, determine an average weight for strings of non-mixed product. For example, if a transshipment has three strings of BET without other species, sum the total weight of the three strings and divide by the estimated count of the product on those three strings. Observer will use the largest possible sample size to determine average weights.

Option #2 – Weights from Declared Average Weights: Observer can derive average weights from (as a proportion of) "declared" information if and only if the carrier vessel, the LSTLV, or a combination of the two "declare" **both** numbers and weights of product. This is not a full independent estimation, but may be the best estimate available.

- O Use number of fish and weight from Transshipment Declaration to determine an average weight for each product/species code declared.
- o Multiply the independently collected tally data by declared average weights of each respective product/species group to derive observer weights.
- o If observer's product/species group designations are more specific than those declared by the vessel/LSTLV observer may need to proportion the OTH group into multiple species codes.

Option #3 - Hanging Scale to Determine Average Weight – If vessel has a hanging scale, the observer will take weights on a random systematic basis from every nth string. The observer will use the fish(es) selected by the carrier vessel to test temperature as part of the weight sample. The observer will select X number of fish form from each string based on a systematic sampling scheme with a random starting point. The observer will maximize the sampling size, collecting as many fish as possible, without causing excessive delay in the transshipment process. Confirm with carrier vessel crew that weight sampling will be allowable (will require every nth string to stop shortly before lowering into the hold).

For example, the observer may select three fish from each 3rd string starting at the string corresponding to the roll of a six-sided die. The observer will try to maintain the same selection process throughout the cruise, randomly selecting the starting point. Fish selection will be selected in the same manner each time also, ie lowest fish, three fish closest to a point on rail, etc. Changes in transshipment procedures way force the observer to alter the sampling scheme to ensure excessive delays are not caused. Provide thorough notes regarding the sampling design.

Observer combines the actual weights and divids by the total number of fish weighed for each product/species group. This average weight is then multiplied by the total estimated counts for each product/species group to reach a Total Product Weight.

Total Product Weight = Avg wt for Species x Total Observer Count Species

Option #4 - Weights from Length-Sampling: If no scale is available, observer will sample for length measurements and convert to weight to determine an average weight for each product/species group. A length-sampling strategy can help to acquire an independent estimation of weights. The average weight is applied to the observer estimate of fish in each product/species code similar to Option #2.

- Confirm with carrier vessel crew that length sampling will be allowable (will require every nth string to stop shortly before lowering into the hold.)
- Consider the circumstances and the resources on hand.
- O Devise a random systematic sampling scheme that will be most representative and at the same time practical in implementation (see length sampling below).
- o Fine-tune sampling design as required; however, try to maintain the same structure throughout the cruise if possible.
- o Provide thorough notes regarding the sampling design.

Total Product Weight = Avg wt for Species x Total Observer Count Species

Option #5 – Weights from Declared Weights: If Option #4 is not possible (i.e. no numbers are declared), or there is not viable information to make an independent estimate:

- Record the weights reported by the carrier vessel found on the IATTC Declaration Form, proportioning "other" species as with Option #4.
- Pursue ideas for reaching an independent estimate with MRAG.
- Provide thorough notes regarding why a weight estimations by other means cannot be accomplished and describe the outlook for implementing other options.

4. Reporting Protocols

Following are the Pre-Sea Forms and Report, to be completed prior to departing for sea on the assigned carrier vessel:

- Form T1 Observer/Vessel Details
- Form T2 Deployment Forms (i, ii and/or iii)
- Form T3 Pre-Sea Inspection Checklist
- Report R1 Transshippment Details Report

Form T1 - Observer/Vessel Details:

Form T1 describes the basic information required to identify the observer's deployment onboard their assigned carrier vessel. This form will only be completed for carrier vessels and not completed for any other vessel (i.e. transfer vessels).

Form T2 - Deployment Form:

Form T2 (with all pertinent sub-forms) describes all vessels boarded during an Observer's deployment.

The T2 is split up into three sub-forms:

- T2 (i) on Carrier Vessel
- T2 (ii) on Transfer Vessel (Outgoing)
- T2 (iii) on Transfer Vessel (Return)

Form T3 – Pre-Sea Inspection Checklist:

The Form T3, Pre-Sea Inspection Checklist, will be completed for all vessels boarded by the observer during a deployment(not including launches). For each vessel boarded, it is important that the observer complete inspections, clearly documenting any problem with the inspection and/or with the vessel's cooperation with the observer, before:

- Carrier vessel departs port (or away from transfer vessel), or
- Transfer vessel departs port (or away from carrier vessel)

Depending on the circumstances of embarkation on to a vessel, arranging a proper Pre-Sea Inspection may require foresight and planning on the part of the observer (especially in cases of at-sea transfers). Observers will ensure that all parties involved understand the importance of the Inspection and the gravity of a failed inspection. In completing the form, the observer will need to personally check a number of features around the vessel, particularly relating to safety and communications. This Inspection will be performed by the Observer in the presence of at least one vessel Officer and, when possible, a local vessel agent and/or an IATTC Consortium partner.

Report R1 – Observer Deployment Report:

Report R1, the Observer Deployment Report, summarizes certain essential details collected in the T1, T2, and T3 forms. This report must be completed for every vessel boarded by the observer during a deployment.

The Report R1 is a pre-sea report and will be returned digitally (and by fax) to MRAG prior to departing for sea (certainly within 24 hours of deployment), along with the Form T3. If assigned vessel (carrier or transfer) does not pass the Pre-Sea Inspection, the Report R1 and the Form T3 will be returned to MRAG as soon as possible and follow up with a phone call.

Mid-Deployment Forms and Reports

The mid-deployment forms and reports need to be completed periodically throughout an observer's deployment:

- Form T4 Transshipment Details Form each IATTC transshipment will have a T4 which consists on a summary of the LSTLV characteristics, observer estimate of product transshipped, LSTLV and Carrier vessels estimates of product, and a summary of the fish counts (and weights if available) on a per string basis.
- Report R2 Observer 5-Day Report details the LSTLV, date, position and catch summary of transshipment within the report period. Observer will e-mail or fax a R2 Report on the 5th, 10th, 15th, 20th, 25th, and last day of each month.
- Photo and Video Log Observers will maintain an Excel file which records date, transshipment number, which tracks pictures based on a file name.

If the vessel has a reliable e-mail system, e-mail all associated T4s (as well as other linked documentation) to MRAG on a 5-day basis with the R2 reports, according to the above schedule.

Form T4 – Transshipment Details Form:

Each cruise may include more than 30 separate transshipments with different LSTLVs. A separate T4 form must be completed for each transshipment event. The sections are numbered by important, not sequentially. The order of the sections on the form layout is T4(i),(iii),(iv),(ii). The first section of this form T4(i) requires the observer to identify the LSTLV transshipping with the carrier vessel. In addition, the observer will record the timings and positions of transshipments.

The second part of the Transshipment Details Form T4(iii) contains the observer estimates of the species, product codes, fish counts and weights. The observer calculates the percentage of transshipment observed. Section T4(iv) has tables to record the product information provided in the Declaration Form, as reported by the LSTLV, and by the Carrier vessel.

The final part of the form T4(ii) track the tuna products transferred between vessels. The tunas are typically transferred using a boom winch, in batches of between 10-30 individual fish. The observer estimates the numbers of fish and species composition of each load or string. The tunas will be partially processed and frozen. Thus, species identification can sometimes be difficult. The observer will refer to the species identification guides provided with the Observer Manual (Appendix I), so that they become practiced at discerning between tuna species.

Observers will complete the following procedure for each transshipment and associated T4. The Observation number is the same as the transshipment number. Keep transshipment numbers in order by date and region. For example TS1 to TSxx for IATTC, Port1 to Portxx for port transshipments, and WP1 to WPxx for transshipment west of 150W. If observer takes a break or LSTLV divides a transshipment into two parts use A,B, C, to designate the parts of the transshipment (TS1A, TS1B,).

Report R2 – Observer 5-Day Report:

The R2 Report is a summary of the transshipments that occurred during the 5-day reporting period. The report only includes completed transshipments and only transshipments of fish are reported. If a transshipment is in progress at the end of a reporting period then it will be included in the next R2. Observers will compile and send their R2 reports on the schedule below:

- Period A -1^{st} to 5^{th}
- Period B -6^{th} to 10^{th}
- Period $C 11^{th}$ to 15^{th}
- Period D 16th to 20th
- Period E 21st to 25th
- Period F 26th to the end of the month

It is important to send the R2s on time. If the e-mail is not working a fax copy to +1-907-677-6022 is acceptable.

Photo and Video Log and Files:

In order to easily sort and track pictures taken by observers, all relevant pictures taken on the cruise will be archived in an Excel photo log. Download, label and record all pictures on a daily basis in the order taken. The Photo and Video Log has a brief key at the top. Take photographs of LSTLV bow, stern, side, and stack insignia (if present); zoom in on any interesting features (such as shark fins or former names painted over but still visible, or other identifying characteristic.)

Report R3 - Supplier 15-Day Report

The R3 report is sent by MRAG to the IATTC on a bimonthly schedule. The R3 provides information on embarkations, transfers and disembarkations of observers. In addition, the R3 contains a summary of all the transshipments that occurred in the Eastern Pacific during the report period (complied from observer R2 reports). It is not the responsibility of the observer to fill in this form; the R3 will be completed by the MRAG coordinator.

5. Observer Duties

Observers are tasked to report upon all transshipment operations that occur during their deployment aboard assigned carrier vessels. Currently MRAG has a contract with the IATTC to provide observers to vessels planning to transship within the Eastern Pacific. The IATTC Convention (management) Area begins at the 150° W line and includes all high seas waters east of that line of longitude, all the way to the Americas. MRAG does not currently have an agreement with the WCPFC to collect data on transshipments in the Western Pacific. The dividing line is the 150 W line, despite the fact that the WCPFC area overlaps the IATTC, particularly around Tahiti. If the transshipment occurs at-sea east of 150W an observer is required.

If the carrier vessel takes transshipments west of 150W, these will be designated WCPFC transshipments. The observer is to observer these transshipments at carrier vessel captain's discretion. If the captain allows WCPFC transshipments to be observed, follow the same procedures as for the IATTC transshipments, designated the transshipment number as WP1 (number consecutively and independent of IATTC transshipments).

If the captain does not allow the WCPFC transshipments to be observed, the observer will not complete:

- 1) Gathering information directly from LSTLV captains
- 2) Monitoring actual transshipment operations;
- 3) Completing a Form T4 (ii-iv), T4(i) is still completed for all transshipments and;
- 4) Signing any transshipment documentation.

If the captain will not allow observations outside of the IATTC, the IATTC transshipment observer deployed on a carrier vessel transshipping outside of the IATTC Convention Area, will adhere to the above prohibitions to regular observation duties, which have precedence over any other instructions described within this document.

If transshipment begins on one side of the 150W and ends on the other side of the line, number the transshipment based on the start location and follows the procedures above for that region.

The main purpose for deploying observers aboard transshipment (carrier) vessels is to track at-sea transshipment operations between Large-Scale Tuna Longline Vessels (LSTLVs) and carrier vessels. The list of essential duties for observers on board carrier vessels operating in the assigned ROP Convention Area(s):

- 1) Record and verify identification information and other identifying characteristics of all transshipping LSTLVs.
- 2) Record and verify the times and positions of all transshipments.
- 3) Sign transshipment declaration documentation on observed transshipments.
- 4) Record and verify the species and product types transshipped, estimating numbers and estimating and/or verifying weights.
- 5) Issue periodic reports upon all transshipments.

Though observers should be equipped and able to complete all mid-deployment duties, they should know their priorities well and not jeopardize the completion of higher priority duties for the sake of completing less-essential duties.

Each day an observer is onboard the vessel there are three main duties that will be completed daily:

- a) Take daily position with heading and speed (same time each day if possible)
- b) Determine the ETA for next stop an/or next transshipment
- c) Record in Daily Observer Log notes regarding the days activities.

6. Observer Training

Currently there are 42 registered IATTC observers (Appendix 1), of which 22 are current and ready to deploy, 5 could deploy with a 1-day briefing, 14 have retired or moved to other programs and 1 has been decertified. MRAG has a sufficient pool of observer to provide an internationally distributed pool of observers ensuring that all deployment requests can be covered, even when requested at short notice.

MRAG did not conduct an IATTC training between November 2011 and January, due to a sufficient number of active observers.

Appendix 1 IATTC trained observers

Rank	Observer Name	Certification					
1	Brown, Ethan	decert					
2	Bennett, James	current					
3	McNamara, Brian	retired					
4	Dobbs, Eric	current					
5	Stump, Chris	current					
6	Bary, Gregory	retired					
7	Davis, Kieth	current					
8	Lobdell, James	current					
9	Swan, Frederick	current					
10	Ransom, Dusty	retired					
11	Zepplin, Tim	current					
12	Powers. Mary	BRF required					
13	Albright, Ryan	retired					
14	Erickson-Davis, Morgar	BRF required					
15	Prussick, Crystal	retired					
16	Abranyi, Neil	retired					
17	Browne, Peter	retired					
18	Arias, Jeorge	retired					
19	Kimes, Jeffrey	retired					
20	Aab, Danny	current					
21	Alpuerto, Scott	retired					
22	Ashworth, Sarah	retired					
23	Bason, Chris Kazuo 1/11 S	BRF required					
24	Casey, Evan	BRF required					
25	Cliffton, Samantha Lynn	current					
26	Larner, Heath	current					
27	Pudenz, Justin	current					
28	Stoehr, Chris McVey	retired					
29	Suarez, Lucas	current					
30	Tran, Hiep	retired					
31	Vasak, Nicole	current					
32	Not Assigned						
33	Not Assigned						
34	Alexander, Ricky	current					
35	Gauthier, Michael	current					
36	Haggard, Melany	retired					
37	Jui Lin, Tsung	current					
38	luketic, Michael	current					
39	McDonough, James	current					
40	Richardson, David Louis J	current					
41	Scheuermann, David	current					
42	Smith, Francis	BRF required					
43	Ward, Brian	current					
44	Wojtkun, Marcin	current					
	, · · , · · · · · · · · · · · · · · · ·	· - · · ·					