

COMISIÓN INTERAMERICANA DEL ATÚN TROPICAL

COMITÉ CIENTÍFICO ASESOR

16ª REUNIÓN

La Jolla, California (EE. UU.)

2-6 de junio de 2025

DOCUMENTO SAC-16 INF-A(b)

**INFORME ANUAL DE LOS OBSERVADORES CIENTÍFICOS EN LA PESCA CON
PALANGRE DE TAIPEI CHINO EN EL ÁREA DE LA CONVENCIÓN DE
ANTIGUA (2024)**

FLEET INFORMATION (vessels >20m LOA)

		Both set types combined						Shallow sets ($\lt 15$ HPB/HBF ¹ or $\lt 100$ m max hook depth)						Deep sets (≥ 15 HPB/HBF or ≥ 100 m max hook depth)					
Period covered	Date range	From			To			From			To			From			To		
		Day	Month	Year	Day	Month	Year	Day	Month	Year	Day	Month	Year	Day	Month	Year	Day	Month	Year
		1	JAN	2024	21	AUG	2024	2	JAN	2024	9	JAN	2024	1	JAN	2024	21	AUG	2024
Area fished	Longitude	Deg.	Min.	Hem.	Deg.	Min.	Hem.	Deg.	Min.	Hem.	Deg.	Min.	Hem.	Deg.	Min.	Hem.	Deg.	Min.	Hem.
		148	37	W	126	22	W	146	59	W	140	6	W	148	37	W	126	22	W
Area fished	Latitude	Deg.	Min.	Hem.	Deg.	Min.	Hem.	Deg.	Min.	Hem.	Deg.	Min.	Hem.	Deg.	Min.	Hem.	Deg.	Min.	Hem.
		20	6	S	32	55	N	31	50	N	32	55	N	20	6	S	3	55	S
		Total Fleet	Observed	% observed	Total Fleet	Observed	% observed	Total Fleet	Observed	% observed	Total Fleet	Observed	% observed						
No. of vessels that fished		87	7	8	17	1	6	70	6	9									
No. of trips		137	7	5	27	1	4	110	6	5									
No. of effective days fishing		5995	153	3	419	7	2	5576	146	3									
No. of sets		5995	153	3	419	7	2	5576	146	3									
No. of hooks (in thousands) <i>(If unknown, approx. no. of hooks/set, using a *)</i>		16162	268	2	1598	17	1	14563	251	2									
Predominant ² hook type/size (IATTC (IATTC code))		CIRCLE/5.3	CIRCLE/5.3		CIRCLE/4.5	CIRCLE/4.5		CIRCLE/4.6	CIRCLE/4.6										
Predominant bait type ³		F	F		F	F		F	F										

¹ Hooks per basket / Hooks between floats

² "Predominant" means most common, i.e., $\gt 50\%$. [Click here for IATTC hook codes.](#)

³ Bait code: SQ – squid; F – fishes (e.g. Scomber spp.); A – artificial lure (e.g. plastic jig)

Add additional comments below

1. After all observer trips data retrieved completely, the observer coverage rate in 2024 is estimated to reach 11.45% of effective days fishing.
2. Please be noted that the information contained is still preliminary.

Click to add a seabird species											
For additional species caught, enter species code and species in rows below											
Billfishes											
SWO	Swordfish (<i>Xiphias gladius</i>)	2	12	1					2	12	1
BUM	Blue marlin (<i>Makaira nigricans</i>)		1							1	
SSP	Shortbill spearfish (<i>Tetrapturus angustirostris</i>)	1	1						1	1	

Add additional comments below