

COMISIÓN INTERAMERICANA DEL ATÚN TROPICAL

COMITÉ CIENTÍFICO ASESOR

12ª REUNIÓN

(por videoconferencia)

10-14 de mayo de 2021

DOCUMENTO SAC-12 INF-A(g)

INFORME ANUAL DE LOS OBSERVADORES CIENTÍFICOS EN LA PESCA CON
PALANGRE DE TAIPEI CHINO EN EL ÁREA DE LA CONVENCIÓN DE ANTIGUA
(2020)

CPC Chinese Taipei (TWN)

FLEET INFORMATION (vessels >20m LOA)																			
		Both set types combined						Shallow sets (<15 HPB/HBF ¹ or <100m max hook depth)						Deep sets (≥15 HPB/HBF or ≥100m max hook depth)					
		From			To			From			To			From			To		
Period covered	Date range	Day	Month	Year	Day	Month	Year	Day	Month	Year	Day	Month	Year	Day	Month	Year	Day	Month	Year
				1	JAN	2020	19	JAN	2020	1	JAN	2020	1	JAN	2020	1	JAN	2020	19
Area fished	Longitude	Deg.	Min.	Hem.	Deg.	Min.	Hem.	Deg.	Min.	Hem.	Deg.	Min.	Hem.	Deg.	Min.	Hem.	Deg.	Min.	Hem.
		131	34	W	149	0	W	149	0	W	149	0	W	131	34	W	146	21	W
Area fished	Latitude	Deg.	Min.	Hem.	Deg.	Min.	Hem.	Deg.	Min.	Hem.	Deg.	Min.	Hem.	Deg.	Min.	Hem.	Deg.	Min.	Hem.
		1	35	S	17	2	S	2	27	S	2	27	S	1	35	S	17	2	S
		Total Fleet	Observed	% observed	Total Fleet	Observed	% observed	Total Fleet	Observed	% observed	Total Fleet	Observed	% observed						
No. of vessels that fished		124	4	3	30	1	3	94	3	3									
No. of trips		141	4	3	34	1	3	107	3	3									
No. of effective days fishing		6249	37	1	1021	1	1	5228	36	1									
No. of sets		6249	37	1	1021	1	1	5228	36	1									
No. of hooks (in thousands) <i>(If unknown, approx. no. of hooks/set, using a *)</i>		17954	63	1	3090	1	1	14864	62	1									
Predominant ² hook type/size (IATTC (IATTC code))		Tuna/4.2	Tuna/4.2		Tuna/5.0	Tuna/5.0		Tuna/4.2	Tuna/4.2										
Predominant bait type ³		F	F		F	F		F	F										

¹ Hooks per basket / Hooks between floats

² "Predominant" means most common, i.e., >50%. [Click here for IATTC hook codes.](#)

³ Bait code: SQ – squid; F – fishes (e.g. Scomber spp.); A – artificial lure (e.g. plastic jig)

Add additional comments below

1. After all observer trips data retrieved completely, the observer coverage rate in 2020 is estimated to reach 10.6% of effective days fishing.
2. Please be noted that the information contained is still preliminary.

Click to add a seabird species										
Click to add a seabird species										
Click to add a seabird species										
Click to add a seabird species										
Click to add a seabird species										
Click to add a seabird species										
Click to add a seabird species										
Click to add a seabird species										
Click to add a seabird species										
Click to add a seabird species										
Click to add a seabird species										
Click to add a seabird species										
Click to add a seabird species										
Click to add a seabird species										
Click to add a seabird species										

For additional species caught, enter species code and species in rows below

Billfishes

SWO	Swordfish (<i>Xiphias gladius</i>)		2			2				

Add additional comments below